

MI556-004 - Calibration Solution 2 - pH 8.20

Printed on 22/06/2021
Page n. 1 / 11
Replaced revision:3 (Dated 01/02/2018)

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MI556-004 Code

Product name Calibration Solution 2 - pH 8.20

1.2. Relevant identified uses of the substance or mixture and uses advised against

Calibration of pH Electrodes.

1.3. Details of the supplier of the safety data sheet

Milwaukee Electronics Kft. Name

Full address Alsókikötő sor 11. **District and Country** H6726 Szeged Hungary

> Tel. +36-62-428-050 Fax +36-62-428-051

e-mail address of the competent person responsible for the Safety Data Sheet

info@milwaukeeinst.com

1.4. Emergency telephone number

For urgent inquiries refer to Austria tel.: +431 406 43 43 - Belgium tel.: 070/245.245 - Bulgaria tel.: +359 2

9154409 - Czech Republic tel.: +420 224 919 293, +420 224 915 402 - Denmark tel.: 8212 12 12 - Estonia tel.: 112 - Finland tel.: (09) 471 977 (direct) or (09) 4711 (exchange) - France tel. ORFILA (INRS) : + 33 (0)1 45 42 59 59 - Ireland tel.: 01 8092166 - Lithuania tel.: +370 5 236 20 52, +370 687 53378 - Malta tel: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504 - Norway tel.: 22 59 13 00 -Portugal tel.: 808 250 143 - Romania tel. 021.318.36.06 (8:00 - 15:00) - Slovakia tel.:

+421 2 5477 4166 - Spain tel.: + 34 91 562 04 20 - Sweden tel.: 112; 08-331231

(9:00-17:00)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.

Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

EUH210 Safety data sheet available on request.

Precautionary statements:

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 2 / 11

Page n. 2 / 11
Replaced revision:3 (Dated 01/02/2018)

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

BORIC ACID

CAS 10043-35-3 0.5 ≤ x < 1 Repr. 1B H360FD

EC 233-139-2 INDEX 005-007-00-2

DI-SODIUM TETRABORATE DECAHYDRATE

CAS $1303-96-4 \quad 0 \le x < 0.5$ Repr. 1B H360FD

EC 215-540-4 INDEX 005-011-01-1 Reg. no. 01-2119490790-32

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

BORIC ACID

Drop in temperature, agitation, spasms, Diarrhoea, Nausea, Vomiting, Tiredness, ataxia (impaired locomotor coordination).

DI-SODIUM TETRABORATE DECAHYDRATE

Irritant effects. The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

BORIC ACID

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: boron compounds.

DI-SODIUM TETRABORATE DECAHYDRATE

Not combustible. Ambient fire may liberate hazardous vapours.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 3 / 11

Page n. 3 / 11 Replaced revision:3 (Dated 01/02/2018)

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERSNormal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BEL	Belgique	AR du 11/3/2002. La liste est mise à jour pour 2017
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail en Suisse: valeurs VME/VLE. Version Mars 2018 (SUVA)
DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
DNK	Danmark	Bekendtgørelse om ændring af bekendtgørelse om grænseværdier for stoffer og materialer1- BEK nr 655 af 31/05/2018
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
EST	Eesti	Töökeskkonna keemiliste ohutegurite piirnormid. Vastu võetud Vabariigi Valitsuse 18. septembri 2001. a määrusega nr 293 (RT I 2001, 77, 460), jõustunud 29.09.2001. Muudetud järgmise määrusega (kuupäev, number, avaldamine Riigi Teatajas, jõustumise aeg): 11.10.2007 nr 223 (RT I 2007, 55, 369) 1.01.2008
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition,published 2018)
GRC	Ελλάδα	ΕΦΗΜΕΡΙΔΑ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ - ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 152 - 21 Αυγούστου 2018
HRV	Hrvatska	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/18)
IRL	Éire	2018 Code of Practice for the Chemical Agents Regulations Safety Authority
LTU	Lietuva	LIETUVOS HIGIENOS NORMA HN 23:2011 "CHEMINIŲ MEDŽIÁGŲ PROFESINIO POVEIKIO RIBINIAI DYDŽIAI. MATAVIMO IR POVEIKIO VERTINIMO BENDRIEJI REIKALAVIMAI. Nr. V-695/A1-272, 2018-06-12, paskelbta TAR 2018-06-15, i. k. 2018-09988



POL

Milwaukee Electronics Kft.

MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 4 / 11 Replaced revision:3 (Dated 01/02/2018)

SECTION 8. Exposure controls/personal protection

Polska

Ķīmisko vielu aroda ekspozīcijas robežvērtības (AER) darba vides gaisā 2018 NLD Nederland

Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018,

2018-0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de

implementatie van Richtlijn 2017/164 in Bijlage XIII

NOR Norge Fastsatt av Arbeids- og sosialdepartementet 21. august 2018 med hjemmel i lov 17. juni 2005 nr.

62 om arbeidsmiljø, arbeidstid, stillingsvern mv. (arbeidsmiljøloven) § 1-3, § 1-4 og § 4-5 ROZPORZADZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12

czerwca 2018 r

SWE Sverige Hygieniska gränsvärden, AFS 2018:1

ACGIH 2020 **TLV-ACGIH**

BORIC ACID

Threshold Limit V	'alue								
Туре	Country	TWA/8h		STEL/15	min				
		mg/m3	ppm	mg/m3	ppm				
VLEP	BEL	2							
VME/VLE	CHE	10		10		INHAL			
MAK	CHE	10		10		INHAL			
MAK	DEU	10				INHAL			
VLA	ESP	2		6					
RD	LTU	10							
RV	LVA	10							
TLV-ACGIH		2		6					
Predicted no-effe	ct concentra	ation - PNEC	3						
Normal value in	fresh water						2,9	mg/l	
Normal value in	marine water	er					2,9	mg/l	
Normal value of	f STP microc	organisms					10	mg/l	
Normal value for	Normal value for the terrestrial compartment						5,7	mg/kg/d	
Health - Derived r	o-effect lev	el - DNEL / I	DMEL						
Effects on consumers					Effects on worke	ers			
Route of expos	ure Acu	te Acı	ıte	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	loca	ıl sys	temic	local	systemic	local	systemic	local	systemic
Inhalation					4,15				8,3
					mg/m3				mg/m3
Skin					196				392
					mg/kg bw/d				mg/kg
									bw/d

MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021
Page n. 5 / 11
Replaced revision:3 (Dated 01/02/2018)

SECTION 8. Exposure controls/personal protection

DI-SODIUM TETRABORATE DECAHYDRATE

hreshold Limit \	/alue		2.00.						
Туре	Country	TWA/8h		STEL/1	5min				
•		mg/m3	ppm	mg/m3	ppm				
VLEP	BEL	2							
MAK	CHE	10				INHAL			
AGW	DEU	10				INHAL			
TLV	DNK	2							
VLA	ESP	2		6					
TLV	EST	2		5		SKIN			
VLEP	FRA	5							
WEL	GBR	5							
TLV	GRC	10							
GVI/KGVI	HRV	5							
OEL	IRL	5							
RD	LTU	2		5		SKIN			
RV	LVA	2		5					
TGG	NLD	5							
TLV	NOR	5							
NDS/NDSCh	POL	0,5		2					
NGV/KGV	SWE	2		5		SKIN			
TLV-ACGIH		2		6					
redicted no-effe	ct concentr	ation - PNI	EC						
Normal value in fresh water							2,9	mg/l	
Normal value in	n marine wat	ter					2,9	mg/l	
Normal value for	Normal value for water, intermittent release						13,7	mg/l	
Normal value o							10	mg/l	
lealth - Derived r									
Effects on consumers						Effects on workers			
Route of expos			cute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	loc	,	/stemic	local	systemic	local	systemic	local	systemic
Oral	VN	D 0,	17	VND	0,17				
			g/kg bw/d		mg/kg bw/d				
Inhalation	2,5		ND	VND	0,73	2,52	VND	VND	1,45
	mg	/m3			mg/m3	mg/m3			mg/m3
Skin				VND	34,3			VND	68
					mg/kg bw/d				mg/kg
									bw/d

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 6 / 11

Page n. 6 / 11 Replaced revision:3 (Dated 01/02/2018)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Information

Appearance liquid
Colour colourless
Odour odourless
Odour threshold Not available

pH 8,2

Melting point / freezing point Not available Initial boiling point Not available Not available Boiling range Flash point Not applicable Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available 17,5 Vapour pressure mmHg Vapour density Not available

Relative density 1

Solubility soluble in water
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available
Viscosity Not available
Explosive properties not applicable
Oxidising properties not applicable

9.2. Other information

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

BORIC ACID

Risk of explosion on contact with: acetic anhydride.

Reacts violently with: strong oxidising agents, bases.

DI-SODIUM TETRABORATE DECAHYDRATE

Risk of explosion on contact with: strong oxidising agents, acids, moisture/water, metal salts.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

DI-SODIUM TETRABORATE DECAHYDRATE

Keep away from strong reducing agents to avoid the development of hydrogen, which is explosive.

10.5. Incompatible materials

Information not available



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021
Page n. 7 / 11
Replaced revision:3 (Dated 01/02/2018)

SECTION 10. Stability and reactivity .../>>

10.6. Hazardous decomposition products

DI-SODIUM TETRABORATE DECAHYDRATE Boron oxides, sodium oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

BORIC ACID

CMR effects, Teratogenicity: May damage the unborn child. Reproductive toxicity: May damage fertility.

DI-SODIUM TETRABORATE DECAHYDRATE

CMR effects Teratogenicity: May damage the unborn child - Reproductive toxicity: May damage fertility.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) ATE (Dermal) of the mixture: Not classified (no significant component)

DI-SODIUM TETRABORATE DECAHYDRATE

LD50 (Oral) 2660 mg/kg Rat LD50 (Dermal) 2000 mg/kg Rabbit LC50 (Inhalation) 2,12 mg/l/4h Rat

BORIC ACID

2660 mg/kg Rat LD50 (Oral) LD50 (Dermal) > 2000 mg/kg Rabbit 0,16 mg/l/4h Rat LC50 (Inhalation)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 8 / 11 Replaced revision:3 (Dated 01/02/2018)

SECTION 11. Toxicological information .../>>

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DI-SODIUM TETRABORATE DECAHYDRATE

LC50 - for Fish 96 mg/l/96h Limanda limanda

12.2. Persistence and degradability

DI-SODIUM TETRABORATE DECAHYDRATE

Solubility in water 47000 mg/l

BORIC ACID

Solubility in water > 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

DI-SODIUM TETRABORATE DECAHYDRATE

Partition coefficient: n-octanol/water -1,53

BORIC ACID

Partition coefficient: n-octanol/water -1,09 BCF 0,7

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 9 / 11

Page n. 9 / 11 Replaced revision:3 (Dated 01/02/2018)

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance
Point 30 BORIC ACID
Point 30 DI-SODIUM TETRABORATE DECAHYDRATE
Reg. no.: 01-2119490790-32

Substances in Candidate List (Art. 59 REACH)

BORIC ACID

DI-SODIUM TETRABORATE DECAHYDRATE

Reg. no.: 01-2119490790-32

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021 Page n. 10 / 11

Page n. 10 / 11 Replaced revision:3 (Dated 01/02/2018)

SECTION 15. Regulatory information .../>>

None

Healthcare controls
Information not available

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 1B Reproductive toxicity, category 1B

H360FD May damage fertility. May damage the unborn child.

EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TEV CEILING. Concentration that sho - TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)



MI556-004 - Calibration Solution 2 - pH 8.20

Revision nr.4 Dated 07/07/2020 Printed on 22/06/2021
Page n. 11 / 11
Replaced revision:3 (Dated 01/02/2018)

SECTION 16. Other information .../>>

- 16. Regulation (EU) 2019/521 (XII Atp. CLP)17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 03 / 06 / 08 / 09 / 15.

Changed TLVs in section 8.1 for following countries:

CHE,